Allergies to medications or foods:

Name:

Address:

Phone #: (Hm)

Student Health Center Phone: (210) 567-9355 Fax: (210) 567-5903

Zip:

Consent for Vaccine Administration

Please read and complete the following information to receive immunizations

I have read and understand the information given to me regarding the vaccines I will be given today. I believe and understand the benefits and risks of the vaccination(s). I request the identified vaccine(s) to be given to me. I have no conditions, which

City:

are contraindications for vaccination. I certify that the information I have provided is true and accurate.

(cell)

Date of Birth:

Program:

Badge ID:

State:

Signature:	Date:		
TO RECEIVE VACCINATIONS THE CLIENT MUST MEET THE FOLLOWING REQUIREMENTS:			
€ TETANUS AND DIPHTHERIA VACCINE (Td), € TETANUS, DIPHTHERIA, PERTUSSIS (TdaP) (sub for 1 Td)			
TETANUS AND DIPHTHERIA VACCINE (Td), € TETAN The client: Has NEVER had a serious allergic reaction or other problems with Td, or any oth (DTP, DTaP, TdaP, or DT). Is NOT moderately or severely ill. Has NEVER had vaccination w/a prior Td, TdaP, or DTaP dose. Has NEVER had a seizure w/in 3 dose. Has NEVER had a collapse or shock-like state w/in 48 hrs of receiving a T w/in the last 10 yrs. Caution in latex allergy. TDAP can be given during pregnar		other Tetanus/diphtheria vaccine ad a fever (104) w/in 48 hrs after in 3 days of receiving a prior Td Td dose. Has NOT had a Td	Mfr: Lot#: Dosage: 0.5ml Route: IM Site: □ RA □ LA □ Booster:
are after 20 weeks gestation and the optimal time is after 27 weeks gestation.		,	Given by: Date
VIS version date: 5/19/2013			
reaction to a previous dose of Hepatiti] [M	
Mfr: Lot#: Dosage: 1.0 ml Route: IM Site: RA LA	Mfr: Lot#: Dosage: 1.0 ml Route: IM Site: □ RA □ LA □ 2 ^{nd t} Dose > 1 mo Given by: Date	Mfr: Lot#: Dosage: 1.0 ml Route: IN Site: RA LA 3rd Dose >5mo after 2 nd Given by: Date	1
VIS version date: 2/2/2012	VIS version date: 2/2/2012	VIS version date: 2/2/2012 HE	P A VIS date 10/25/2011
or previous Varicella vaccine. Is NOT repregnant. Plan on avoiding pregnancy have HIV/AIDS, a weakened immune steroids, or receiving radiation therapy	ction to gelatin, the antibiotic neomycin, moderately or severely ill. Is NOT for 1 month after vaccine. Does NOT system, cancer, not currently taking, no recent blood transfusion. JBELLA (MMR) ction to gelatin, the antibiotic neomycin, cately or severely ill. Is NOT pregnant. Proceedings of the process	lan Dosage: 0.5ml Route: Site: □ RA □ L/ □ Booster: Date	Vis version date: 3/13/2008 Mfr: Lot#: Dosage: 0.5ml Route: SC
	E READ 48-72 HOURS AFTER		LEASE INITIAL)
Do you currently have any of the following Unusual fatigue for more than 2 weeks		NO UNKN Admi	n Date: Time:
Weight loss (unrelated to dieting)?	*		ed By:
Loss of appetite for more than 2 weeks		Mfr:	··· - j·
Persistent cough for longer than 2 week	eks?	Lot#	
Blood streaked sputum? Fever associated with cough for more than 1 week?		Fore	0.1ml/5 TU PPD arm Site: R L
Night sweats?			be read between 48-72 hours after admin.
Other unusual symptoms?			
Is there a history of TB in your family?			pretation of Results
Have you ever taken Anti-Tuberculin medications? Have you ever had "BCG" vaccination?		Read	only area of induration (raised area) not redness mm induration Neg Pos
Have you had an MMR vaccine in the		Read	Date: Time:
Do you currently have an immune compromised illness?		Read	Ву:
Have you ever had a positive TB skin to If YES, WHEN & WHERE?:	test?		red in People Soft by:
I II IES, WHEN & WHERE!	l	Date	